## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Original) A method of transmitting Ethernet data frames from a first local area network (LAN) to a second local area network (LAN) comprising the steps of :
- mapping Ethernet frames from the first local area network onto a Plesiochronous

  Digital Hierarchy (PDH) data stream via Generic Framing Procedure (GFP),
- transmitting said mapped Ethernet frames via a first En-network to an SDH-level network,
- receiving the transmission at the second local area network through the SDH-level network,
- demapping the Ethernet frames from the first local area network via Generic Framing
   Procedure, and transmitting said demapped frames into the second local area
   network.
- 2. (Original) The method of claim 1, according to which said mapping is carried out at a junction point between the first Ethernet LAN and a first En-network.
- 3. (Currently Amended) The method of any of claims claim 1 or 2, according to which said demapping is carried out at a junction point between the second En-network and the second Ethernet LAN.

ERIKSSON et al. Appl. No. unknown April 13, 2006

- 4. (Currently Amended) The method of any of the previous claims claim 1, according to which the transport of the GFP frames through the SDH-network is carried out by means of so called virtual containers, VCx-containers.
- 5. (Currently Amended) A system for transmitting Ethernet data frames from a first local area network (110) to a second local area network, comprising:
- means (130) for mapping Ethernet frames from the first local area network onto Plesiochronous Digital Hierarchy format via Generic Framing Procedure (GFP),
- means (140) for transmitting said mapped Ethernet frames via a first En-network to an PDH-level network.
- 6. (Currently Amended) The system of claim 5, additionally comprising means for:
- receiving (140')-the transmission at the second local area network through the SDH-level network via a second En-network,
- demapping (130') the Ethernet frames from the first local area network via Generic Framing Procedure, and transmitting said demapped frames into the second local area network.
- 7. (Currently Amended) The system of claim 5-or-6, in which the means for said mapping is arranged at a junction point between the first Ethernet LAN and a first Ennetwork.

ERIKSSON et al. Appl. No. unknown April 13, 2006

- 8. (Currently Amended) The method of any of claims claim 6 or 7, according to which said means for demapping is arranged at a junction point between the second En-network and the second Ethernet LAN.
- 9. (Currently Amended) The system of any of claims claim 5-8, in which the transport of the GFP frames through the SDH-network is carried out by means of so called virtual containers, VCx-containers.